

เอกสารอ้างอิง

- จินตนา ทยาธรรม นิภา จันทศรีสมหมาย และวันทนา ศรีรัตนศักดิ์ 2539 ชีวชนิดของแมลงบั่ว *Orseolia oryzae* (Wood-Mason) ในประเทศไทย. หน้า 604-650. ใน: รายงานประจำปี 2539 การประชุมสัมมนาทางวิชาการของแมลงและศัตรูพืช กรมวิชาการเกษตร กรุงเทพฯ
- จินตนา ทยาธรรม 2545 แมลงบั่วและแนวทางป้องกันกำจัด. เอกสารประกอบการบรรยาย การประชุมสัมมนาเชิงปฏิบัติการของกลุ่มเกษตรกร อ. แม่ระมาด จ. ตาก 7 หน้า
- ดำเนิน กาละดี ศันสนีย์ จำจด แสงทิวา สุริยงค์ กนกวรรณ ศรีงาม ปณิตา บุญสิทธิ์ และสมทบ นันตะเสน 2552 สารแกมมาโอไรโซนิลและแอนโทไซยานินในความหลากหลายทางพันธุกรรมของข้าวเก่าพื้นเมืองไทยและความเป็นไปได้ในการสร้างพันธุ์ใหม่เพื่อเพิ่มคุณค่าความเป็นข้าวเพื่อสุขภาพสถาบันวิจัยและพัฒนาวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยเชียงใหม่ พ.ศ. 2552 138 หน้า
- พจนีย์ สุภามงคล 2549 ความหลากหลายทางพันธุกรรมของข้าวพื้นเมืองพันธุ์หม่นของ. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเชียงใหม่ เชียงใหม่ 94 หน้า
- รัตติยา ธาราพัก 2549 ความหลากหลายทางสายพันธุ์ของประชากรแมลงบั่วในภาคเหนือของประเทศไทย. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยเชียงใหม่ เชียงใหม่ 71 หน้า
- Black, R., Lindsay, H., Bhutta, Z., Caulfield, L. and de Onnis, M. 2008. Maternal and child under- nutrition: global and regional exposures and health consequences. *Lancet*, 371: 243-260.
- Boonsit, P., Pongpiachan, P., Julsrigival, S. and Karladee, D. 2010. Gamma oryzanol content in glutinous purple rice landrace varieties. *CMU. J. Nat. Sci.*, 9: 151-157.
- Brown, A.H.D. 1978. Isozymes, plant population genetics structure and genetic conservation. *Theor. Appl. Genet.*, 52: 145-157
- Daiponmak, W., Theerakulpisut, P., Thanonkao, P., Vanavichit, A. and Prathepha, P. 2010. Changes of anthocyanin cyanidin-3-glucoside content and antioxidant activity in Thai rice varieties under salinity stress. *ScienceAsia*, 36: 286-291.
- Graham, R.D., Senadhira, D., Beebe, S.E., Iglesias, C. and Ortiz-Monasterio, I. 1999. Breeding for micronutrient density in edible portions of staple food crops: conventional approaches. *Field Crops Research*, 60: 57-80
- Harlan, J. 1992. *Crop and Man*. 2nd Ed. Am Soc Agron, Madison, Wisconsin. 284 p.

- Hettiarachchi, M., Hilmers, D. C., Liyanage, C. and Abrams, S.A. 2004. Na(2)EDTA enhances the absorption of iron and zinc from fortified rice flour in Sri Lankan children. *J. Nutr.*, 134: 3031-3036.
- Hidaka, T., Vungsilburt, P. and Kadkao, S. 1974. Studies on Ecology and Control of the Rice Gall Midge in Thailand. Technical Bulletin No.6, TARC., 113 pp.
- International Food Policy Research Institute. 1999. World Food Prospects: Critical Issue for the Early Twenty- first Century.
- Jaksomsak, P., Yimyam, N., Dell, B., Prom-u-thai, C. and Rerkasem, B. 2014. Variation of seed zinc in a local upland rice germplasm from Thailand. *Plant Genetic Resources*, 13 (2): 168-175.
- Juliano, B. O. 1993. *Rice in human nutrition "Prepared in collaboration with FAO"*. Rome: Rome: Food and Agriculture Organization of the United Nations.
- Lee, J.H. 2010. Identification and quantification of anthocyanins from the grains of black rice (*Oryza sativa* L.) varieties. *Food Sci. Biotechnol.*, 19: 391-397.
- Muntana, N., Prasong, S. 2010. Study on total phenolic contents and their antioxidant activities of Thai white, red, and black rice bran extracts. *Pakistan J. Biol. Sci.*, 13: 170-4.
- Okai, Y., Higashi-Okai, K. 2006. Radical-scavenging activity of hot water extract of Japanese rice bran - association with phenolic acids. *J. UOEH*, 28: 1-12.
- Oupkaew, P., Pusadee, T., Sirabanchongkran, A., Rerkasem, K., Jamjod, S., Rerkasem, B. 2011. Complexity and adaptability of a traditional agricultural system: case study of a gall midge resistant rice landrace from northern Thailand. *Genet. Resour. Crop Ev.*, 58: 361-372.
- Phattarakul, N. 2008. Genotypic variation in tolerance to acid soil in local upland rice varieties. Ph.D. Thesis, Graduate School. Chiang Mai University, Chiang Mai, Thailand.
- Pintasen, S., Prom-u-thai, C., Jamjod, S., Yimyam, N. and Rerkasem, B. 2007. Variation of grain iron content in a local upland rice germplasm from the village of Huai Tee Cha in northern Thailand. *Euphytica*, 158: 27-34
- Pintasen, S., Prom-u-thai, C., Jamjod, S., Yimyam, N. and Rerkasem, B. 2007. Variation of grain iron content in a local upland rice germplasm from the village of Huai Tee Cha in northern Thailand. *Euphytica*, 158: 27-34.
- Prom-u-thai, C. 2003. Iron (Fe) in Rice grain. Ph.D. Thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.

- Prom-u-thai, C. and Rerkasem, B. 2001. Grain iron concentration in Thai rice germplasm. *Plant nutrition–Food security and sustainability of agro-ecosystems*. 350-351 pp.
- Prom-u-thai, C., Fukai, S., Godwin, I., Huang, L. 2007. Genotypic variation of iron partitioning in rice grain. *J. Sci. Food Agric.*, 87: 2049-2054.
- Prom-u-thai, C., Sanchai, C., Rerkasem, B., Jamjod, S., Fukai, S., Godwin, I.D., Huang, L. 2007. Grain morphology variability and its effect to degree of milling and Fe loss in rice. *Cereal Chem.*, 84: 384-388.
- Pusadee, T., Jamjod, S., Chiang, Y., Rerkasem, B. and Schaal, B.A. 2009. Genetic structure and isolation by distance in a landrace of Thai rice. *Proc. Nat. Acad. Sci. USA.*, 106: 13880–13885.
- Rosado, J. 2003. Zinc and Copper: Proposed Fortification Levels and Recommended Zinc Compounds. *J. Nutr.*, 133: 2985S-2589S.
- Ryu, S.N., Park, S.Z., and Ho, C.T. 1998. High performance liquid chromatographic determination of anthocyanin pigments in some varieties of black rice. *J. Food Drug Anal.*, 6: 729-736.
- Saenchai, C., Prom-u-thai, C., Jamjod, S., Dell, B., Rerkasem, B. 2012. Genotypic variation in milling depression of iron and zinc concentration in rice grain. *Plant Soil*, 361(1-2): 271-278.
- Sardesai, N., Rajyashri, K.R., Behura, S.K., Nair, S. and Mohan, M. 2001. Genetic, physiological and molecular interactions of rice and its major dipteran pest, gall midge. *Plant Cell, Tissue and Organ Culture*, 64: 115-131.
- Suwannalert, P. and Rattanachitthawat, S., 2011. High level of phytochemicals and antioxidant activities in *Oryza sativa* - unpolished Thai rice strain of LeumPhua, *Trop J Pharmaceut Res.*, 10(4): 431-436.
- Tananuwong, K. and Tewaruth, W., 2010. Extraction and application of antioxidants from black glutinous rice. *Food Sci Tech.* 43: 476-481.
- Thongphak, D., Attathom, T. and Tayathum, C. 1999. Determination of the genetic relatedness of the rice gall midge, *Orseolia oryzae* in Thailand using RAPD-PCR marker. *Thai Journal of Agricultural Science*, 32: 409-421.