

เอกสารอ้างอิง

- จินตนา อุปติสสกุล. 2535. กลิ่นรสและการประเมินค่า. มหาวิทยาลัยเกษตรศาสตร์ กรุงเทพมหานคร.
- จิระประภา ร้อยครบุรี, เพ็ญพิชชา วนจันทร์รักษ์, เรวัตร์ พงษ์พิสุทธินันท์, สุภกิจ ไชยพุ่ม และ
ไพโรจน์ วิริยจารี. 2560. ผลของวิธีสกัดน้ำมันจากกากกาแฟและประสิทธิภาพการยับยั้งเชื้อ
Streptococcus mutans. การประชุมวิชาการและประกวดนวัตกรรมบัณฑิตแห่งชาติ.
10 หน้า.
- จิระประภา ร้อยครบุรี. 2561. การสกัดน้ำมันกากกาแฟเพื่อใช้ในผลิตภัณฑ์สเปรย์ระงับกลิ่นปาก.
วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาการพัฒนาผลิตภัณฑ์อุตสาหกรรมเกษตร
มหาวิทยาลัยเชียงใหม่. 95 หน้า.
- ชุติมา ลิ้มมัทวาทิธี และสนธยา ลิ้มมัทวาทิธี. 2555. การสกัดพืชสมุนไพรโดยการสกัดด้วยของไหล
ความดันสูง. วารสารไทยโภชนาการ มหาวิทยาลัยศิลปากร. 7(1): 1-19.
- ธีรพงษ์ เทพกรณ์. 2550. การศึกษาการเปลี่ยนแปลงชนิดและปริมาณสารต้านออกซิเดชัน
(โพลีฟีนอล) ในระหว่างกระบวนการผลิตชาเขียวและชาอู่หลงของจังหวัดเชียงราย. รายงาน
การวิจัย. มหาวิทยาลัยแม่ฟ้าหลวง. 50 หน้า.
- ปวีณา ด้านพิกุลทอง, เกตุการ ดาจันทา และหทัยทิพย์ ร้องคำ. 2560. ผลของเวลาการนึ่งและระดับ
ความดันสุญญากาศต่อคุณภาพทางเคมีกายภาพและการต้านอนุมูลอิสระของชาที่ผ่าน
กระบวนการแทรกซึมภายใต้สภาวะสุญญากาศ. การประชุมวิชาการระดับชาติ นวัตกรรม
และเทคโนโลยีวิชาการ 2017. 10 หน้า.
- ประวีณา อินทร์ชวน และสิรานี มีบุญล้ำ. 2557. การศึกษาปัจจัยที่เกี่ยวข้องกับพื้นที่ที่เหมาะสมใน
การปลูกกาแฟอาราบิก้า กรณีศึกษา: อำเภอแม่สรวย จังหวัดเชียงราย. วิทยานิพนธ์วิทยา-
ศาสตรบัณฑิต สาขาวิชาภูมิศาสตร์ มหาวิทยาลัยนเรศวร. 59 หน้า.
- พิชัย เอี้ยวเล็ก. 2559. การสกัดน้ำมันจากกากกาแฟด้วยวิธีการสกัดของแข็งด้วยของเหลว.
วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาวิศวกรรมเครื่องกล
มหาวิทยาลัยสงขลานครินทร์. 162 หน้า.
- ไพโรจน์ วิริยจารี. 2555. การออกแบบการทดลองขั้นสูง. คณะอุตสาหกรรมเกษตร
มหาวิทยาลัยเชียงใหม่. 471 หน้า.
- เรวัตร์ พงษ์พิสุทธินันท์, ไพโรจน์ วิริยจารี, กรวรรณ ศรีงาม, สุภกิจ ไชยพุ่ม, ศักดา พริงลำภู, วาสนา
คำโอภาส และ เฉลิมขวัญ สมใจ. 2561. การพัฒนาระบบการผลิตกรดแกมมาอะมิโนบิวทีริก
โดยเทคโนโลยี เชื้อบริสุทธิ์เริ่มต้นระดับขยายขนาด. รายงานการวิจัย. สถาบันวิจัย
วิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยเชียงใหม่. 84 หน้า.
- Adnan, M., Ahmed, A., Ahmad, A. and Khalid, N. 2013. Chemical composition and
sensory evaluation of tea (*Camellia sinensis*) commercialized in Pakistan.
Pakistan Journal of Botany. 45(3): 901-907.

- Aljahdali, N. and Carbonero, F. 2017. Impact of Maillard reaction products on nutrition and health: Current knowledge and need to understand their fate in the human digestive system. *Critical Reviews in Food Science and Nutrition*. 1-14.
- Amarowicz, R. 2009. Antioxidant activity of Maillard reaction products. *Lipid Science and Technology*. 111(2): 109-111.
- American Heart Association. 1997. Heart and Stroke Statistical Update. Dallas, TX: 1997.
- Amorim, H.V., Basso, L.C., Crocomo, O.J. and Teixeira, A.A. 1977. Polyamines in green and roasted coffee. *Journal of Agricultural and Food Chemistry*. 25: 957-958.
- Anderson, R.L. and Wolf, W.J. 1995. Compositional changes in trypsin inhibitors, phytic acid, saponins and isoflavones related to soybean processing. *Journal of Nutrition*. 125: 581s-588s.
- Anthony, M.S., Clarkson, T.B., Hughes, C.L.Jr. Morgan, T.M. and Burke, G.L. 1996. Soybean isoflavones improve cardiovascular risk factors without affecting the reproductive system of peripubertal rhesus monkeys. *Journal of Nutrition*. 126: 43-50.
- Antonio, A.G., Moraes, R.S., Perrone, D., Maia, C.L., Santos, K.R.N., Iório, N.L.P. and Farah, A. 2010. Species, roasting degree and decaffeination influence the antibacterial activity of coffee against *Streptococcus mutans*. *Food Chemistry*. 118: 782-788.
- AOAC. 2000. Official Methods of Analysis of AOAC. 17th ed. Association of Official Analytical Chemists. Maryland, U.S.A.
- AOAC. 2010. Official Methods of Analysis of AOAC. 17th ed. Association of Official Analytical Chemists. Washington, DC.
- AOAC. 2016. Official Methods of Analysis of AOAC. 20th ed. Association of Official Analytical Chemist. Maryland, U.S.A.
- Arnold, U., Ludwig, E., Kühn, R. and Möschwitzer, U. 1994. Analysis of free amino acids in green coffee beans. *Zeitschrift für Lebensmittel-Untersuchung und Forschung*. 199(1): 22-25.
- Araújo, M.A. and Sandi, D. 2006. Extraction of coffee diterpenes and coffee oil using supercritical carbondioxide. *Food Chemistry*. 101: 1087-1094.
- Ashton, A.Q. 2013. Terpenes-Advances in Research and Application. PhD General Editor. Published by Scholarly Editions™, Atlanta, Georgia.
- Balentine, D. A., Wiseman, S. A. and Bouwens, L. C. M. 1997. The chemistry of tea flavonoids. *Critical Reviews in Food Science and Nutrition*. 37: 693-704.
- Barbosa, H.M.A., Melo, M.M.R., Coimbra, M.A., Passos, C.P. and Silva, C.M. 2014. Optimization of the supercritical fluid coextraction of oil and diterpenes from

- spent coffee grounds using experimental design and response surface methodology. *Journal of Supercritical Fluids*. 85: 165-172.
- Battista F., Fino D. and Mancini G. 2016. Optimization of biogas production from coffee production waste. *Bioresource Technology*. 200: 884-890.
- Bekalo, S.A. and Reinhardt, H.W. 2010. Fibers of coffee husk and hulls for the production of particleboard. *Materials and Structures*. 43: 1049-1060.
- Belitz, H.D. and Grosch, W. 1999. Food Chemistry 2nd ed. Springer-Verlag. Berlin.
- Benassi, M.T. and Dias, R.C.E. 2015. Assay of Kahweol and Cafestol in Coffee. Elsevier Inc. Brazil.
- Berk, Z. 1976. Braverman's introduction to the biochemistry of food. Elsevier Scientific. Amsterdam: New York. 315 p.
- Bertoldi, M., Carbone, V. and Voltattorni, C.B. 1999. Ornithine and Glutamate decarboxylase catalyse an oxidative deamination of their α -methyl substrates. *Biochemistry*. 342: 509-512.
- Bown, A.W. and Shelp, B.J. 1997. The metabolism and functions of γ -aminobutyric acid, *Plant Physiology*. 115: 1-5.
- Budryn, G., Nebesny, E., Podsedek, A., Żyżelewicz, D., Materska, M., Jankowski, S. and Janda, B. 2009. Effect of different extraction methods on the recovery of chlorogenic acids, caffeine and Maillard reaction products in coffee beans. *European Food Research and Technology*. 228(6): 913-922.
- Bursać Kovačević, D., Putnik, P., Dragović-Uzelac, V., Pedisić, S., Režek Jambrak, A. and Herceg, Z. 2016. Effects of cold atmospheric gas phase plasma on anthocyanins and color in pomegranate juice. *Food Chemistry*. 190: 317-323.
- Campos-Vega, R., Loarca-Pina, G., Vergara-Castaneda, H.A. and Oomah, B.D. 2015. Spent coffee grounds: A review on current research and future prospects. *Trends in Food Science and Technology*. 45: 24-36.
- Cavin, C., Holzhaeuser, D., Scharf, G., Constable, A., Huber, W.W. and Schilter, B. 2002. Cafestol and Kahweol, two coffee specific diterpenes with anticarcinogenic activity. *Food and Chemical Toxicology*. 40: 1155-1163.
- Chen, Z. Y., Zhu, Q. Y., Tsang, D. and Huang, Y. 2001. Degradation of green tea catechins in tea drinks. *Journal of Agricultural and Food Chemistry*. 49: 477-482.
- Chun, W., Feng, W., Jiang, L., Yuanfeng, Z. and Xingfu, C. 2015. A comparison of volatile fractions obtained from *Lonicera macranthoides* via different extraction processes: ultrasound, microwave, Soxhlet extraction, hydrodistillation, and cold maceration. *Integrative Medicine Research*. 4: 171-177.

- Clifford, M.N. 1985. Chemical and physical aspects of green coffee and coffee products. In Clifford, M.N. and Wilson, K.C., eds. *Coffee Botany Biochemistry and Production of Beans and Beverage*. AVI Publishing Co., Inc, West Port, CN., 305-374.
- Cohen, I., Navarro, V., Clemenceau, S., Baulac, M. and Miles, R. 2002. On the origin of interictal activity in human temporal lobe epilepsy in vitro. *Science*. 298: 1418-1421.
- Couto, R.M., Fernandes, J., Silva, M.D.R. and Simoes, P.C. 2009. Supercritical fluid extraction of lipids from spent coffee grounds. *Journal of Supercritical Fluids*. 51: 159-166.
- Czerny, M., Wagner, R. and Grosch, W. 1996. Detection of odor-active ethenylalkylpyrazines in roasted coffee. *Journal of Agricultural and Food Chemistry*. 44: 3268-3272.
- Dalais, F.S., Rice, G.E., Wahlqvist, M.L., Grehan, M., Murkies, A.L. and Medley, G. 1998. Effects of dietary phytoestrogens in postmenopausal women. *Climateric*. 124-129.
- Deibler, K.D. and Delwiche, J. 2004. *Handbook of Flavor and Characterization*. Marcel Dekker, Inc. New York. 231-257.
- Deng, Y. and Zhao, Y. 2008. Effect of pulsed vacuum and ultrasound osmo-pretreatments on glass transition temperature, texture, microstructure and calcium penetration of dried apple (Fuji). *LWT-Food Science and Technology*. 41: 1575-1585.
- Dias, R.C.E., Faria, A.F., Mercadante, A.Z., Bragagnolo, N. and Benassi, M.T. 2013. Comparison of Extraction Methods for Kahweol and Cafestol Analysis in Roasted Coffee. *Journal Brazil Chemical Sociedade*. 24: 492-499.
- Djilani, A. and Dicko, A. 2012. The Therapeutic Benefits of Essential Oils. *Nutrition, Well-Being and Health*. 155-178.
- Erba, D., Riso, P., Bordoni, A., Foti, P., Biagim, P.L. and Testolin, G. 2005. Effectiveness of moderate green tea consumption on antioxidative status and plasma lipid profile in humans. *Journal of Nutritional Biochemistry*. 16: 144-149.
- Eto, H., Ono, Y., Ogino, A. and Nagatsu, M. 2008. Low-temperature sterilization of wrapped materials using flexible sheet-type dielectric barrier discharge. *Applied Physics Letters*. 93(22): 1-4.
- Fernandez, P.L., Martin, M.J., Gonzalez, A.G. and Pablos, F. 2000. HPLC determination of catechins and caffeine in tea. Differentiation of green, black and instant teas. *Analyst*. 125: 421-425.

- Flament, I. 2002. Coffee Flavor Chemistry. John Wiley & Sons. Ltd., Chichester, England. 424 p.
- Gökmen, V. and Şenyuva, H.Z. 2006. Study of colour and acrylamide formation in coffee, wheat flour and potato chips during heating. *Food Chemistry*. 99(2): 238-243.
- Guan, Y.G., Lin, H., Han, Z., Wang, J., Yu, S.J., Zeng, X.A., Liu, Y.Y., Xu, C.H. and Sun, W.W. 2010. Effects of pulsed electric field treatment on a bovine serum albumin–dextran model system, a means of promoting the Maillard reaction. *Food Chemistry*. 123(2): 275-280.
- Guan, Y.G., Wang, J., Yu, S.J., Zeng, X.A., Han, Z. and Liu, Y.Y. 2010. A pulsed electric field procedure for promoting Maillard reaction in an asparagine–glucose model system. *Journal of Food Science and Technology*. 45(6): 1303-1309.
- Han, K.K., Soares, Jr J.M., Haidar, M.A., de Lima, G.R. and Baracat, E.C. 2002. Benefit of soy isoflavone therapeutic regime on menopausal symptoms. *Obstetrics and Gynecology*. 99: 389-394
- Hargreaves, D.F., Potten, C.S., Harding, C., Shaw, L.E. and Morton, M.S. 1999. Two-week dietary soy supplementation has an estrogenic effect on normal premenopausal breast. *Journal of Clinical Endocrinology and Metabolism*. 84: 4017-4024.
- Hirano, R., Momiyama, Y., Takahashi, R., Taniguchi, H., Kondo, K., Nakamura, H. and Ohusuzu, F. 2002. Comparison of green tea intake in Japanese patients with and without angiographic coronary artery disease. *American Journal of Cardiology*. 90: 1150-1153.
- Hoeck, J.A., Fehr, W.R., Murphy, P.A. and Welke, G.A. 2000. Influence of genotype and environment on isoflavone contents of soybean. *Crop Science*. 40(1): 48-51.
- Holscher, W., Vitzthum, O. G. and Steinhart, H. 1992. Prenyl alcohol-source for odorant in toasted coffee. *Journal of Agricultural and Food Chemistry*. 40: 655-658.
- Hwang, S.H., Zuo, G., Wang, Z. and Lim, S.S. 2018. Novel aldose reductase inhibitory and antioxidant chlorogenic acid derivatives obtained by heat treatment of chlorogenic acid and amino acids. *Food Chemistry*. 266: 449-457.
- limure, T., Kihara, M., Hirota, N., Zhou, T., Hayashi, K. and Ito, K. 2009. A method for production of γ -amino butyric acid (GABA) using barley bran supplemented with glutamate. *Food Research International*. 42(3): 319-323.
- Illy, A. and Viani, R. 1996. Espresso Coffee: The Chemistry of Quality. Dah Hua Printing Press Co., Ltd., Hong Kong.

- Imran, M., Nadeem, M., Manzoor, M.F., Javed, Am., Ali, Z., Akhtar, M.N., Ali, M. and Hussain, Y. 2016. Fatty acids characterization, oxidative perspectives and consumer acceptability of oil extracted from pre-treated chia (*Salvia hispanica* L.) seeds. *Lipids in Health and Disease*. 15(162): 1-13.
- Jaiswal, R., Matei, M.F., Golon, A., Witt, M. and Kuhnert, N. 2012. Understanding the fate of chlorogenic acids in coffee roasting using mass spectrometry based targeted and non-targeted analytical strategies. *Food and Function*. 3(9): 976-984.
- Janissen, B. and Huynh, T. 2018. Chemical composition and value-adding applications of coffee industry by- product: A review. *Resource, Conservation and Recycling*. 128: 110-117.
- Jimenez-Carmona, M.M., Ubeda, J.L. and Luque de Castro, M.D. 1999. Comparison of continuous subcritical water extraction and hydrodistillation of marjoram essential oil. *Journal of Chromatography A*. 855: 652-632.
- Kato, Y., Kato, Y., Furukawa, K. and Hara, S. 2002. Cloning and nucleotide sequence of the glutamate decarboxylase-encoding gene gadA from *Aspergillus oryzae*. *Bioscience, Biotechnology and Biochemistry*. 66: 2600-2605.
- Kim, J.Y., Lee, M.Y., Ji, G.E., Lee, Y.S. and Hwang, K.T. 2009. Production of γ -amino butyric acid in black raspberry juice during fermentation by *Lactobacillus brevis* GABA100. *International Journal of Food Microbiology*. 130(1): 12-16.
- Kim, Y., Kim, Y. and Jhon, D.Y. 2018. Changes of the chlorogenic acid, caffeine, γ -amino butyric acid (GABA) and antioxidant activities during germination of coffee bean (*Coffea arabica*). *Emirates Journal of Food and Agriculture*. 30(8): 675-680.
- Klejdus B., Mikelova R., Adam V., Zehnalek J., Vacek J., Kizek R. and Kuban, V. 2004. Liquid chromatographic-mass spectrometric determination of genistin and diadzin in soybean food samples after accelerated solvent extraction with modified content of extraction cell. *Analytica Chimica Acta*. 517(1-2): 1-11.
- Knight, D.C., Lyons Wall, P. and Eden, J.A. 1996. A review of phytoestrogens and their effects in relation to menopause symptoms. *Australian Journal of Nutrition and Dietetics*. 53: 5-11.
- Komatsu, Y., Suematsu, S., Hisanobu, Y., Saigo, H., Matsuda, R. and Hara, K. 1993. Studies on preservation of constituents in canned drinks. Part II. Effects of pH and temperature on reaction kinetics of catechins in green tea infusion. *Bioscience, Biotechnology and Biochemistry*. 57: 907-910.
- Komatsuzaki, N., Shima, J., Kawamoto, S., Momose, H. and Kimura, T. 2005. Production of γ -amino-butyric acid (GABA) by *Lactobacillus paracasei* isolated from traditional fermented food. *Food Microbiology*. 22: 497-504.

- Kramer, D., Breitenstein, B., Kleinwachter, M. and Selmar, D. 2010. Stress metabolism in green coffee beans (*Coffea arabica* L.): expression of dehydrins and accumulation of GABA during drying. *Plant and Cell Physiology*. 54(4): 546-553.
- Krnjevic, K. 1974. Chemical nature of synaptic transmission in vertebrates. *Physiology*. 54: 419-540.
- Kroll, J., Rawel, H.M. and Rohn, S. 2003. Reactions of plant phenolics with food proteins and enzymes under special consideration of covalent bonds. *Food Science and Technology Research*. 9(3): 205-218.
- Kumamoto, M., Sonda, T., Nagayama, K. and Tabata, M. 2001. Effects of pH and metal ions on antioxidative activities of catechins. *Bioscience, Biotechnology and Biochemistry*. 65: 126-132.
- Kuo, Y.H., Rozan, P., Lambein, F., Frias, J. and Vidal-Valverde, C. 2004. Effects of different germination conditions on the contents of free protein and non-protein amino acids of commercial legumes. *Food Chemistry*. 86(4): 537-545.
- Kurzrock, T. and Speer, K. 2001. Diterpenes and diterpene esters in coffee. *Food Reviews International*. 17: 433-450.
- Liu, Y. and Kitts, D.D. 2011. Confirmation that the Maillard reaction is the principle contributor to the antioxidant capacity of coffee brews. *Food Research International*. 44(8): 2418-2424.
- Lu, X., Chen, Z., Gu, Z. and Han, Y. 2008. Isolation of γ -aminobutyric acid-producing bacteria and optimization of fermentative medium. *Biochemical Engineering Journal*. 41: 48-52.
- Martins, S.I.F.S., Jongen, W.M.F. and Van Boekel, M.A.J.S. 2000. A review of Maillard reaction in food and implications to kinetic modelling. *Trends in Food Science and Technology*, 11(9-10): 364-373.
- Martins, S.I.F.S. and Van Boekel, M.A.J.S. 2005a. A kinetic model for the glucose/glycine Maillard reaction pathways. *Food Chemistry*. 90(1): 257-269.
- Martins, S.I.F.S. and Van Boekel, M.A.J.S. 2005b. Kinetics of the glucose/glycine Maillard reaction pathways: influences of pH and reactant initial concentrations. *Food Chemistry*. 92(3): 437-448.
- Mazvimba, M. T., Yu, Y., Cui, Z.-Q. and Zhang, Y. 2012. Optimization and orthogonal design of an ultrasonic-assisted aqueous extraction process for extracting chlorogenic acid from dry tobacco leaves. *Chinese Journal of Natural Medicines*. 10(4): 311-320.
- Messina, M. 2007. Role of soy in promoting health. Food focus Thailand magazine for F&B professionals.

- Messina, M.J. 1999. Legumes and soybeans: overview of their nutritional profiles and health effects. *American Journal of Clinical Nutrition*. 70(3): 439-450.
- Miller, G.L. 1959. Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*. 31(3): 426-428.
- Moreno, F.J., Molina, E., Olano, A. and López-Fandiño, R. 2003. High-pressure effects on Maillard reaction between glucose and lysine. *Journal of Agricultural and Food Chemistry*. 51(2): 394-400.
- Mu, L., Zhao, H., Zhao, M., Cui, C. and Liu, L. 2011. Physicochemical properties of soy protein isolates-acacia gum conjugates. *Czech Journal of Food Sciences*. 29(2): 129-136.
- Mukhtar, H. and Ahmad, N. 2000. Tea polyphenols: prevention of cancer and optimizing health. *American Journal of Clinical Nutrition*. 71: 1698S-1702S.
- Murkovic, M. and Derler, K. 2006. Analysis of amino acids and carbohydrates in green coffee. *Journal of Biochemical and Biophysical Methods*. 69(1): 25-32.
- Murphy, P.A., Barua, K. and Hauck, C.C. 2002. Solvent extraction selection in the determination of isoflavones in soy foods. *Journal of Chromatography B*. 777: 129-138.
- Mussatto, S.I., Carneiro, L.M., Silva, J.P.A., Roberto, I.C. and Teixeira, J. A. 2011. A study on chemical constituents and sugars extraction from spent coffee grounds. *Carbohydrate Polymers*. 83: 368-374.
- Mussatto, S.I., Machado, E., Carneiro, L.M. and Teixeira, J.A. 2012. Sugars metabolism and ethanol production by different yeast strains from coffee industry wastes hydrolysates. *Applied Energy*. 92: 763-768.
- Naidu, M.M., Sulochanamma, G., Sampathu, S.R. and Srinivas, P. 2008. Studied on extraction and antioxidant potential of green coffee. *Food chemistry*. 107(1): 377-384.
- Natnoi, S. and Piral, T. 2019. Effect of ultrasonic-assited extraction of properties, antioxidant and inflammatory activities of catotenoids from gac (*Momoedica cochinchinensis*) fruit pericarp. *Cogent Food and Agriculture*. 5: 1-13.
- Nowacka, M., Tappi, S., Wiktor, A., Rybak, K., Miszczykowska, A., Czyzewski, J., Drozdal, K., Witrowa-Rajchert, D. and Tylewicz, U. 2019. The impact of pulsed electric field on the extraction of bioactive compounds from beetroot. *Foods*. 8(244): 1-12.
- Okada, T., Sugishita, T., Murakami, T., Murai, H., Saikusa, T., Horino, T., Onada, A., Kajimoto, O., Takahashi, R. and Takahashi, T. 2000. Effect of the defatted rice germ enriched with GABA for sleeplessness, depression, autonomic disorder by

- oral administration. *Journal of the Japanese Society for Food Science and Technology*. 47: 596-603.
- Oliveira, P.M.A., Almeida, R.H., Oliveiraa, N.A., Bostynb, S., Goncalves, C.B. and Oliveira, A.L. 2014. Enrichment of diterpenes in green coffee oil using supercritical fluid extraction-characterization and comparison with green coffee oil from pressing. *Journal of Supercritical Fluids*. 95: 137-145.
- Onakpoya, I., Terry, R. and Ernst, E. 2011. The use of green coffee extract as a weight loss supplement: a systematic review and meta-analysis of randomised clinical trials. *Gastroenterol Res Pract*. PMID: 20871849.
- Pankaj, S.K., Wan, Z., Colonna, W. and Keener, K.M. 2017. Effect of high voltage atmospheric cold plasma on white grape juice quality. *Journal of the Science of Food and Agriculture*. 97(12): 4016-4021.
- Qixing, J., Zhengran, M., Shuoshuo, W., Yanshun, X., Fengyu, T., Xueqin, Xu., Peipei, Y. and Wenshui, X. 2014. Effect of temperatrue on protein compositional changes of big head carp (*Aristichthys nobilis*) muscle and exudates. *Food Science and Technology Research*. 20(3). 655-661.
- Quan, T.H., Benjakul, S., Sae-leaw, T., Balange, A.K. and Maqsood, S. Protein-polyphenol conjugates: Antioxidant property, functionalities and their applicvations. *Trends in Food Science and Technology*. 91: 507-517.
- Quella, S.K., Loprinzi, C.L., Barton, D.L., Knost, J.A., Sloan, J.A., La Vasseur, B.I., Swan, D., Krupp, K.R., Miller, K.D. and Novotny, P.J. 2000. Evaluation of soy phytoestrogens for the treatment of hot flashes in breast cancer survivors: A North Central Cancer Treatment Group Trial. *Journal of Clinical Oncology*. 18: 1068-1074.
- Rains, T. M., Agarwal, S. and Maki, K. C. 2011. Antiobesity effects of green tea catechins: a mechanistic review. *The Journal of Nutritional Biochemistry*. 22: 1-7.
- Rice, E.W., Johnson, C.H., Dunnigan, M.E. and Reasoner, D.J. 1993. Rapid glutamate decarboxylase assay for detection of *Escherichia coli*. *Appl. Environmental. Microbiology*. 59: 4347-4349.
- Sahena, F., Zaidul, I.S.M., Jinap, S., Karim, A.A., Abbas, K.A., Norulaini, N.A.N. and Omar, A.K.M. 2009. Application of supercritical CO₂ in lipid extraction. *Journal of Food Engineering*. 95: 240-253.
- Sarkar, F.H. and Li, Y. 2003. Soy isoflavones and cancer prevention. *Cancer Investigation*. 21(5): 744-757.
- Setchel, K.D.R. and Cassidy, A. 1999. Dietary isoflavones: Biological effects and relevance to human health. *Journal of Nutrition*. 129: 758-767.

- Setchell, K.D. 2000. Absorption and metabolism of soy isoflavones from food to dietary supplements and adults to infants. *Journal of Nutrition*. 130: 654s-655s.
- Seto, R., Nakamura, H., Nanjo, F. and Hara, Y. 1997. Preparation of epimers of tea catechins by heat treatment. *Bioscience, Biotechnology and Biochemistry*. 61: 1434-1439.
- Shimazu C. 2005. Shimazu high performance liquid chromatography LC work station (Lab solution/LC Solution) operation manual. Kyoto, Japan.
- Shimoni, E. 2004. Stability and shelf life of bioactive compounds during food processing and storage: soy isoflavones. *Journal of Food Science*. 69(6): R160-166.
- Singh, H.P., Ravindranath, S.D. Singh, C. 1999. Analysis of tea shoot catechins: spectrophotometric quantitation and selective visualization on two-dimensional paper chromatograms using diazotized sulfanilamide. *Journal of Agricultural and Food Chemistry*. 47(3): 1041-1045.
- Silva, A. J., Borges, N., Santos, A. and Alves, A. 2012. Method validation for cafestol and kahweol quantification in coffee brews by HPLC-DAD. *Food Analytical Methods*. 5: 1404-1410.
- Slimestad, R. and Vågen, I. M. 2006. Thermal stability of glucose and other sugar aldoses in normal phase high performance liquid chromatography. *Journal of Chromatography A*. 1118(2): 281-284.
- Somnuk, K., Eawlex, P. and Prateepchaikul, G. 2017. Optimization of coffee oil extraction from spent coffee grounds using four solvents and prototype-scale extraction using circulation process. *Journal of Agriculture and Natural Resources*. 51: 181-189.
- Sridevi, V., Giridhar, P. and Ravishankar, G.A. 2011. Evaluation of roasting and brewing effect on antinutritional diterpenes-caffestol and kahweol in coffee. *Global Journal of Medical Research*. 11(5): 17-22.
- Sun, D., Wang, R., Li, F., Liu, L. and Tan, Z. 2018. Enantioselective extraction of Phenylalanine enantiomers using environmentally friendly aqueous two-phase system. *Processes*. 6(11): 1-12.
- Su, Y. L., Leung, L. K., Huang, Y. and Chen, Z. Y. 2003. Stability of tea theaflavins and catechins. *Food Chemistry*. 83: 189-195.
- Sun, W.W., Yu, S.J., Zeng, X.A., Yang, X.Q. and Jia, X. 2011. Properties of whey protein isolate-dextran conjugate prepared using pulsed electric field. *Food Research International*. 44(4): 1052-1058.

- Sunarharum, W. B., Williams, D. J. and Smyth, H. E. 2014. Complexity of coffee flavor: A compositional and sensory perspective. *Food Research International*. 62(0): 315-325.
- Takao, I., Fujii, S., Ishii, A., Han, L., Kumao, T. and Ozaki, K. 2006. Effects of manooligosaccharides from coffee mannan on fat storage in mice fed a high fat diet. *Journal of Health Science-Tokyo*. 52(3): 333.
- Takehito, M., Yuan, L., Sun, B., Fujii, H., Yoshida, M., Wakame, K. and Kosuna, K. 2002. Isoflavone aglycon produced by culture of soybean extracts with basidiomycetes and its anti-angiogenic activity. *Bioscience, Biotechnology and Biochemistry*. 66(12): 2626-2631.
- Tressl, R. and Silwar, R. 1981. Investigation of sulfur-containing compounds in roasted coffee. *Journal of Agricultural and Food Chemistry*. 29: 1078-1082.
- Tsai, J.S., Lin, Y.S., Pan, B.S. and Chen, T.J. 2006. Antihypertensive peptides and γ -aminobutyric acid from prozyme 6 facilitated lactic acid bacteria fermentation of soymilk. *Process Biochemistry*. 41: 1282-1288.
- Upadhyay, R., Ramalakshmi, K. and Jagan Mohan Rao, L. 2012. Microwave-assisted extraction of chlorogenic acids from green coffee beans. *Food Chemistry*. 130(1): 184-188.
- Van Boekel, M.A.J.S. 2006. Formation of flavour compounds in the Maillard reaction. *Biotechnology Advances*. 24(2): 230-233.
- Vinson, J. A., Chen, X. and Garver, D. D. 2019. Determination of total chlorogenic acids in commercial green coffee extracts. *Journal of Medicinal Food*. 22(3): 314-320.
- Wang, H. and Helliwell, K. 2000. Epimerization of catechins in green tea infusions. *Food Chemistry*. 70: 337-344.
- Wang, R., Zhou, W. and Jiang, X. 2008. Mathematical modeling of the stability of green tea catechin epigallocatechin gallate (EGCG) during bread baking. *Journal of Food Engineering*. 87: 505-513.
- Wang, S., Yoon, Y.C., Sung, M.J., Hur, H.J. and Park, J.H. 2012. Anti-angiogenic properties of cafestol, a coffee diterpene, in human umbilical vein endothelial cells. *Biochemical and Biophysical Research Communications*. 421: 567-571.
- Wong, C.T., Bottiglieri, T. and Snead, O.C. 2003. GABA, γ -hydroxybutyric acid and neurological disease. *Annals of Neurology*. 54: S3-S12.
- Xue, M., Shi, H., Zhang, J., Liu, Q.Q., Guan, J., Zhang, J.Y. and Ma, Q.J.M. 2016. Stability and degradation of caffeoylquinic acids under different storage conditions Sstudied by high-performance liquid chromatography with photo diode array detection and high-performance liquid chromatography with electrospray

ionization collision-induced dissociation tandem mass spectrometry. *Molecules*. 21(7): 1-13

Yaylayan, V.A. 1997. Classification of the Maillard reaction: A conceptual approach. *Trends in Food Science and Technology*. 8(1): 13-18.

Yuan, J. M., Sun, C. and Butler, L. M. 2011. Tea and cancer prevention: Epidemiological studies. *Pharmacological Research*. 64: 123-135.

Zainol, M.K., Mohd Subri, I., Zamri, A.I., Mohd Zin, Z., Fisal, A. and Mamat, H. 2020. Antioxidative properties and proximate analysis of spent coffee ground (SCG) extracted using ultrasonic-methanol assisted technique as a potential functional food ingredient. *Food Research*. 4(3): 636-644.

Zamora, R. and Hidalgo, F.J. 2005. Coordinate contribution of lipid oxidation and Maillard reaction to the nonenzymatic food browning. *Critical Reviews in Food Science and Nutrition*. 45(1): 49-59.

Zhu, Q. Y., Zhang, A., Tsang, D., Huang, Y. and Chen, Z. Y. 1997. Stability of green tea catechins. *Journal of Agricultural and Food Chemistry*. 45: 4624-4628.

